DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

STRIKE 100

ACTIVE CONSTITUENT: 985 g/kg CHLOROPICRIN

For use by professional and registered fumigators for control of certain soilborne pests as specified in directions for use

NET CONTENTS: 100 kg

APVMA Approval No.: 62231/145054



TRICAL AUSTRALIA PTY LTD ACN 600 066 966 4 Gidgie Court Edinburgh, SA 5111, Australia Phone (08) 8347 3838

HEALTHY FIELDS. HEALTHY YIELDS.

DIRECTIONS FOR USE

Before using product refer to the relevant manuals and policies set out by the State and Territory government departments with regard to methods of soil fumigation.

Crop/Situation	Pest	Rate	Critical Comments
Preplanting soil fumigation Soil heaps (under plastic or in drums)	Nematodes, Insects, Soilborne fungus diseases, Bacteria, and Weed seeds.	300 g to 600 g per 20 m ² (approximately 5 to10 kg/35 m glasshouse) Use lower rates on lighter soils 50 mL per m ²	 HAND OPERATED INJECTOR: Mark pr 30 cm x 30 cm squares. Inject approx. 4 at 15 cm depth. 5 mL/900 cm² is equival CONTINUOUS INJECTION: Calibrate rate. Injections should be 15 cm to 18 to 30 cm apart. Roll soil to level and pack. Water immed Exposure time: 2 to 3 days. Aeration time: Do not plant for at leas treatment or if gas odour is still presen Strike 100 is effective against nemato roots have decomposed.
Rabbit Burrows (NSW, VIC, SA, QLD and NT only)	Rabbits	5 mL per hole	Moisten any absorbent material w 100 Soil Fumigant and place w Close burrow with soil. Treat all close all outlets.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

THIS PRODUCT IS TOO HAZARDOUS FOR USE IN THE HOME GARDEN.

GENERAL INSTRUCTIONS

DILUTION: To assist in calibrating injectors, Strike 100 Soil Fumigant can be mixed with lighting kerosene.

"SEALING IN" GAS: Immediately after injecting Strike 100 Soil Fumigant, all soil must be sealed (with plastic sheets or malthoid on cracky ground) for 2 to 3 days. Generally, it is sealed by watering with a full flow of water so top 20 mm becomes saturated and flows together. Repeat watering as often as needed to prevent escape of gas.

AERATION: After keeping "seal" intact for 2 to 3 days, allow soil to dry. Cultivate with a clean implement to break crust if needed and allow gas to escape. Do not plant until gas odour is no longer present in soil. Do not plant for at least 10 days after end of treatment; longer periods are safer.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL: Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Empty containers fully into application equipment. Close all valves and return to point of supply for refill or storage.

FOR SPILLS: Wear protective equipment. Absorb with sand or earth. Collect and seal in properly labelled drums.

FOR FIRE: Not combustible, but may detonate if heated under confinement. Avoid breathing products of decomposition.

SAFETY DIRECTIONS: Very dangerous. Product is poisonous if inhaled. Will irritate the nose and throat and skin. Attacks eyes. The fumes first cause smarting, then watering of the eyes. This should be taken as a warning sign. The liquid can cause burns. Avoid contact with eves and skin. Do not inhale vapour. Protect eyes while using. When opening the container and using the product, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves, goggles, impervious footwear and half-facepiece respirator with combined dust and gas cartridge or canister. When using in enclosed areas and pouring large quantities,

CHLOROPICRIN. Detailed instructions for safe use appear in state regulations. If clothing becomes contaminated with product, remove clothing immediately. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use. wash gloves, goggles, respirator, and if rubber, wash with detergent and warm water, and contaminated clothing. Thoroughly ventilate treated areas before reoccupying. Do not reuse footwear until thoroughly aired.

FIRST AID: If poisoning occurs, contact a Doctor or Poisons Information Centre Phone Australia 131126 New Zealand 0800 764 766. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. Remove from contaminated area. Apply artificial respiration if not breathing. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

SDS: Additional Information is listed in the Safety Data Sheet available from the supplier.

Fatal if inhaled, swallowed, or in contact with skin. Causes severe skin burns and eye damage (liquid contact). Causes serious eye irritation (vapour contact). Causes damage to the respiratory tract and to lungs from single exposure or through prolonged or repeated exposure by inhalation. Very toxic to aquatic life.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Trical Australia Pty Ltd, or under abnormal conditions.

prepared soil in approx 5 mL into each squar alent to 50 mL/m².

e machine to desired 18 cm deep and 25 cr

diately to "seal in" gas

ast 10 days after end of

todes provided all old

with 5 mL of Strike well down burrow l major outlets and

wear full-facepiece respirator with canister specified for

UN1580 CHLOROPICRIN INHALATION HAZARD



TOXIC



Batch No.: _____

D. O. M.: _____